

AGENDA
SCIO VILLAGE COUNCIL MEETING
July 28, 2021

Kindly mute all electronics-thank you!

Pledge of Allegiance Roll Call

Approval of Minutes

Visitors-

1. Clerk/ Treasurer: Auditor
Resolution 2021-006
2. Water/WW-Income Tax Dept.-
3. Solicitor-
4. Mayor-
5. Village Administrator- See below
6. Old Business
7. New Business
8. Financial Report Approval
9. Pay bills.
10. Adjourn.

Village Administrator

Current project overview:

- WWTP -Clarifier rebuild project, fully funded
- WTP- new water lines to be replaced in the distribution system, funding in process
- Oil and Shale: SR 646 and East College St, funded Multiple Grants
- Fowler Ave sewer line repair, funded: Grant/Loan

WTP:

-Water line project: Brown, Maple, Walnut, and Grandview Streets. The ARC Grant has been awarded to cover a portion of the cost, the CDBG Grant is in process, the ARC and CDBG Grants will be combined, once awarded, into one agreement, this will streamline the grant process. The engineering is 99% complete, the plans will be submitted to the OEPA for a PTI once the total funding amount is secured. The advertisement for bidding will be approximately

December / January. The contract award is estimated to be in January/ February 2022. Construction will be in the Spring of 2022. This is all contingent on the award of the CDBG amount.

-The 10 Cu/Pb samples will be done the first week in August to meet the EPA requirements for the WTP, they will be collected from 10 residences within the Village. The lab requested the dates.

WWTP:

-Collection system on Fowler Ave, The Village and Thrasher Group submitted the emergency Grant paperwork to OPWC. The Grant was awarded at \$165,058.00 in Grant funds and a 0% loan in the amount of \$41,264. Total \$206,322.00

This estimated cost increase is due to the 10% overage on materials if needed. An onsite meeting was held on July 16, the manholes in the scope of work will have dampening material added to compensate for the semi traffic. The total length of the project has changed to 550 Feet. The engineer is in the process of completing and submitting plans to the OEPA, once approved the EPA will issue the PTI for the project. It is anticipated that this emergency project will be completed in 2021.

-Clarifier WWTP: The intent is to advertise for bids in late August or early September of 2021. The potential award date will be September 2021. Start date for this project will be 2021, the end date may be in 2022 depending on material procurement.

-The WWTP sanitation inspection results have been received from the OEPA SEDO. The results are in the Council packets.

Oil and Shale program:

-Project ID 112295 HAS-646-6.37 -Phase two submittals are due August 2nd from Thrasher to ODOT. The right of way survey and procurement is in process. This is required due to the widening of the roadway.

-Scheduling for 2022 is still pending, to date the project is slated for 2023. No updates to this project at this time.

Roadways/ Equipment/ Buildings/ Park:

- The three park benches have been ordered, the order and receipt are in the Council packets In August/ Sept the company will se
Total cost \$1800.00

Properties:

Review of the list that received clean up letters

-Street signs quote is in the Council packets, once on order, the estimated delivery time is 4-6 weeks.

Annexation:

-Public hearing August 20, 2021, at 10am

Summer Youth Program Update

July 14, 2021

Scio Village Council met in regular session on June 14, 2021, at 6 pm with Mayor Michelle Carpenter presiding. Council members present were Erin Thompson, Carol Davy, Betty Gotschall, Andrew Turner, and Jim Clark. Others included Clerk-Treasurer Heidi Trice, Janeen Scott, Water/WW/Income Tax, Village Solicitor Jack Felgenhauer. ~~Thompson~~ was absent.

Salsberry

Clark moved to approve minutes from the previous meeting as presented and Davy seconded. All present voted in the affirmative.

Visitors: Preston Stull, Carlene Fodor, and Jackie Greene

Preston Stull addressed council about using the ball fields for little league. Council granted permission for him to do so.

Clerk-Treasurer: Present Resolution 2021-005 AUTHORIZING AND DIRECTING THE MAYOR TO ACT AS THE SIGNATURE DESIGNEE AND TO FILE AN APPLICATION FOR FINANCIAL ASSISTANCE UNDER TITLE 1 OF THE HOUSING AND COMMUNITY DEVELOPMENT ACT OF 1974 TO THE OFFICE OF COMMUNITY DEVELOPMENT, DIVISION OF THE OHIO DEVELOPMENT SERVICES AGENCY, OFFICE OF LOCAL GOVERNMENT SERVICES.

Council member Turner made a motion to pass Resolution number 2021-005 Thompson seconded. Roll Call: Gotschall, yea; Davy, yea; Tuner, yea; Clark, yea; Thompson, yea. Motion passed.

Clerk/Treasurer, Heidi Trice informed council of the letter provided by OPWC (in the packets) stating the pre-approval for OPWC emergency funds for the Fowler Street Sanitary Sewer Project. They are providing 100% of the projects estimated cost for a total of up to \$206,322 (\$165,058 Grant/ \$41,264 Interest-Free Loan).

Water/WW: Provided council with the Shut-off and turn on water report.

Income Tax:

Solicitor:

Mayor: Spoke about nuisance properties and provided council with a list of action dates for those properties. Councilmember Clark made a motion to finish list of uncleaned properties, Gotschall seconded. All in favor; motion passed.

Presented Council with Ordinance 2021-005 AN ORDINANCE AUTHORIZING AND DIRECTING THE MAYOR OF THE VILLAGE OF SCIO TO ENTER INTO A PURCHASE AGREEMENT WITH THE HENDERSON FAMILY FARM ENTERPRISES, LTD FOR THE REAL ESTATE PARCEL KNOWN AS LOT 163 IN THE VILLAGE OF SCIO, OHIO AND FURTHER TO EXECUTE ALL NECESSARY DOCUMENTS AND MAKE THE NECESSARY RECORDINGS TO ACCOMPLISH THAT ACQUISITION OF REAL ESTATE AND DECLARING AN EMERGENCY.

Council member Turner made a motion to suspend the rules for Ord. 2021-005, seconded by Thompson. Roll Call: Gotschall, yea; Davy, yea; Tuner, yea; Clark, yea; Thompson, yea. Motion passed.

Council member Thompson made a motion to pass ORD. 2021-005, seconded by Clark. Roll Call: Gotschall, yea; Davy, yea; Tuner, yea; Clark, yea; Thompson, yea. Motion passed.

Water/wastewater committee meeting to be held on 7-21-2021

**Requested an executive session for Personnel.*

Village Administrator:

Current project overview:

- WWTP -Clarifier rebuild project, fully funded
- WTP- new water lines to be replaced in the distribution system, funding in process
- Oil and Shale: SR 646 and East College St, funded
- Fowler Ave sewer line repair, funding in process

WTP:

- Water line project, the lines to be replaced are Brown, Maple, Walnut, and Grandview Streets. The grant application is in process, additional information will be available in the coming weeks.
- The annual CCR was published on the website and submitted to the OEPA, please review as your convenience. The CCR is for calendar year 2020.
- OEPA METRICS; Published and submitted to the OEPA on June 14, 2021. The form shows cost of water production for the Village, please review at your convenience.
- The 10 Cu/Pb samples will be done in July to meet the OEPA requirements for the WTP, they will be collected from 10 residences within the Village.

WWTP:

- Collection system on Fowler Ave, the manhole and sewer line from Fowler Ave to East College St is the scope of this project. The manhole on Fowler Ave (SR646) and 10" line will be replaced. The sewer and storm sewer will be separated at this time. The storm drains will be addressed during the follow-on project with ODOT. This project is estimated at \$194,000.00. The Village and Thrasher Group are working with OPWC to apply for an emergency Grant to assist in the cost of the repairs.
- Clarifier WWTP: The intent is to advertise for bids in August 2021. The potential award date will be September 2021. Construction may be possible in 2021 but is dependent on the procurement of materials for the project.
- The WWTP sanitation inspection results are forthcoming for the OEPASEDO

Oil and Shale program:

-Project ID 112295 HAS-646-6.37 -Phase two submittals are due August 2nd from Thrasher to ODOT. The right of way survey and procurement is in process. This is required due to the widening of the roadway.

-Scheduling for 2022 is still pending, to date the project is slated for 2023

Roadways/ Equipment/ Buildings:

-Painting within the Village is being done: Main Street will be done in August prior to the Street Fair.

-Drum Patching will continue through the summer and fall for road maintenance.

-a New PH meter was purchased for the WWTP

Annexation:

-The annexation petition was submitted June 2, 2021, to the Harrison County Commissioners office

The ordinance listing the services that will be provided by the Village to the proposed property to be annexed has been completed. The public notices have been mailed to all parties that are part of, impacted by, or border the proposed annexation area. The public hearing is scheduled for August 20, 2021, at 10am at the County Court House. A public notice will be published in the County paper on July 17, 2021, to fulfil legal requirements for the annexation.

Action requested:

1. The Village has two tractors that are inoperable: The old John Deere small tractor (15 years old) and the red zero turn (10 years old). I am requesting the Village Council authorize the purchase of a new 60" zero turn Toro E24-to replace the two other tractors. The cost is estimated to be \$4200.00, if the extended warranty is included the price will increase to \$4500.00. Please use line item A017E240-0 Land and Building supplies and materials if the council authorizes the purchase.

2. The Harrison County Water Board has requested that two council persons attend the County water board meeting on August 3, 2021, at 10am. The meeting will be held at the Fairgrounds in the commercial building. The request letter is attached to your packets.

OLD BUSINESS

Council member Davy made a motion to purchase park benches from Scenic Hills in Sugarcreek not to exceed \$700.00 per bench from the park fund. Gotschall seconded. Roll call: Gotschall, yea; Davy, yea; Tuner, yea; Clark, yea; Thompson, yea. Motion passed.

Davy will be checking with Gils Thermes for a quote on back stop fencing at the park.

Council discussed dead trees at the park. No action at this time.

Citations are to be given to people living in campers in the Village limits.

NEW BUSINESS


Clark moved to enter executive session "To consider the appointment, employment, dismissal, discipline, promotion, demotion, or compensation of a public employee or official, or the investigation of charges or complaints against a public employee, official, licensee, or regulated individual, unless the public employee, official licensee, or regulated individual requests a public hearing. Thompson seconded. Roll call reflected: Thompson, yea; Gotschall, yea; Davy, yea; Turner, yea; Clark, yea motion carried. Entered Executive at 7:07pm

Turner made a motion to exit executive, Thompson seconded. Roll call reflected: Thompson, yea; Gotschall, yea; Davy, yea; Turner, yea; Clark, yea motion carried. Exited executive session at 8:25pm.


Thompson moved to approve the Financial Report and Clark seconded. Roll call reflected: Thompson, yea; Gotschall, yea; Davy, yea; Turner, yea; Clark, yea motion carried.

Thompson moved to pay the bills as presented and seconded by Davy. Roll call reflected: Thompson, yea; Gotschall, yea; Davy, yea; Turner, abstain; Clark, yea motion carried.

As there was no further business Clark moved to adjourn the meeting, seconded by Turner. All affirmed.



Mayor



Clerk-Treasurer

ENTITY NAME : VILLAGE OF SCIO

FUND CASH BALANCE STATEMENT - BY ACCOUNT # REPORTING PERIOD: JUL 2021

PAGE: 1 COMPUTER DATE 7/28/2021 12:39:07 PM

REPORTING YEAR FUND	2021 FUND DESCRIPTION	BEGINNING BALANCE	REVENUE	EXPENSE	ENDING BALANCE	ENCUMBERED AMOUNTS	AVAILABLE BALANCE
A01	GENERAL FUND	423,483.97	2,920.23	17,931.21	408,472.99	24,778.78	383,694.21 MTD 383,694.21 YTD
		470,193.94	70,998.46	132,719.41	408,472.99	24,778.78	
A02	GENERAL FUND CD#1	26,999.89	0.00	0.00	26,999.89	0.00	26,999.89 MTD 26,999.89 YTD
		26,980.33	19.56	0.00	26,999.89	0.00	
A03	GENERAL FUND CD#2	216.43	0.00	0.00	216.43	0.00	216.43 MTD 216.43 YTD
		215.82	0.61	0.00	216.43	0.00	
A04	GENERAL FUND CD#3	1,000.00	0.00	0.00	1,000.00	0.00	1,000.00 MTD 1,000.00 YTD
		1,000.00	0.00	0.00	1,000.00	0.00	
B01	STREET FUND	4,072.04	3,129.64	73.89	7,127.79	124.76	7,003.03 MTD 7,003.03 YTD
		789.52	16,011.58	9,673.31	7,127.79	124.76	
B02	STATE HIGHWAY	19,459.79	253.76	81.29	19,632.26	392.24	19,240.02 MTD 19,240.02 YTD
		13,139.77	7,050.25	557.76	19,632.26	392.24	
B04	PARK FUND	32,239.49	35.00	671.02	31,603.47	1,124.98	30,478.49 MTD 30,478.49 YTD
		27,679.21	8,564.88	4,640.62	31,603.47	1,124.98	
B05	FEMA	0.00	0.00	0.00	0.00	0.00	0.00 MTD 0.00 YTD
		0.00	0.00	0.00	0.00	0.00	
B08	POLICE LEVY	18,461.97	0.00	0.00	18,461.97	0.00	18,461.97 MTD 18,461.97 YTD
		16,878.83	1,648.17	65.03	18,461.97	0.00	
B09	BLOCK GRANT WATERLINE REPLACE	0.00	0.00	0.00	0.00	0.00	0.00 MTD 0.00 YTD
		0.00	0.00	0.00	0.00	0.00	
B10	PERMISSIVE MVL	2,044.86	212.94	0.00	2,257.80	0.00	2,257.80 MTD 2,257.80 YTD
		1,057.00	2,071.10	870.30	2,257.80	0.00	
B11	COVID RELIEF	0.00	0.00	0.00	0.00	0.00	0.00 MTD 0.00 YTD
		0.00	0.00	0.00	0.00	0.00	
C01	TRUCK DEBT SERVICE	0.00	0.00	0.00	0.00	0.00	0.00 MTD 0.00 YTD
		0.00	0.00	0.00	0.00	0.00	
D01	OPWC GRANT	0.00	0.00	0.00	0.00	0.00	0.00 MTD 0.00 YTD
		0.00	0.00	0.00	0.00	0.00	
D03	INCOME TAX/PERM IMPROVE	157,575.25	1,400.03	1,060.72	157,914.56	524.00	157,390.56 MTD 157,390.56 YTD
		152,855.22	34,182.66	29,123.32	157,914.56	524.00	
E01	WATER FUND	373,946.37	15,486.82	8,526.07	380,907.12	25,640.24	355,266.88 MTD 355,266.88 YTD
		365,100.43	145,693.21	129,886.52	380,907.12	25,640.24	
E02	SEWER FUND	152,740.28	12,605.52	11,306.81	154,038.99	33,084.62	120,954.37 MTD 120,954.37 YTD
		156,909.69	94,869.17	97,739.87	154,038.99	33,084.62	
E03	WATER CONTINGENCY	50,917.09	0.00	0.00	50,917.09	0.00	50,917.09 MTD 50,917.09 YTD
		49,736.24	1,180.85	0.00	50,917.09	0.00	

Paul Day

Debbie Botschall

Kari Salsbery

ENTITY NAME : VILLAGE OF SCIO

FUND CASH BALANCE STATEMENT - BY ACCOUNT #									
REPORTING YEAR 2021			REPORTING PERIOD: JUL 2021			PAGE: 2		COMPUTER DATE 7/28/2021 12:39:07 PM	
FUND	FUND DESCRIPTION	BEGINNING BALANCE	REVENUE	EXPENSE	ENDING BALANCE	ENCUMBERED AMOUNTS	AVAILABLE BALANCE		
E08	WATER DEPOSIT FUND	16,750.72	248.48	0.00	16,999.20	0.00	16,999.20	MTD	
		16,042.10	1,020.14	63.04	16,999.20	0.00	16,999.20	YTD	
G01	RUMA ESCROW	0.00	0.00	0.00	0.00	0.00	0.00	MTD	
		0.00	0.00	0.00	0.00	0.00	0.00	YTD	
GRAND TOTAL ALL FUNDS MONTH-TO-DATE		1,279,908.15	36,292.42	39,651.01	1,276,549.56	85,669.62	1,190,879.94	MTD	
GRAND TOTAL ALL FUNDS YEAR-TO-DATE		1,298,578.10	383,310.64	405,339.18	1,276,549.56	85,669.62	1,190,879.94	YTD	

ENTITY NAME : VILLAGE OF SCIO				REPORTING PERIOD: JUL 2021				PAGE: 2				COMPUTER DATE 7/28/2021 12:39:23 PM			
EXPENSE STATEMENT - BY ACCOUNT #															
REPORTING YEAR	EXPENSE #	EXPENSE DESCRIPTION	APPROPRIATION	CARRY OVER	M-T-D	Y-T-D	ENCUMBERED	UNENCUMBERED	PERCENTAGE						
			AMOUNT	AMOUNT	EXPENSE	EXPENSE	AMOUNT	AMOUNT							
2021															
B01-6B-211-0		WAGES	26,222.02	0.00	26.31	5,668.05	0.00	20,553.97	78.38%						
B01-6B-212-0		BENEFITS	3,800.00	0.00	0.00	871.65	0.00	2,928.35	77.06%						
B01-6X-230-0		STATE AUDITOR FEE	100.00	0.00	0.00	0.00	0.00	100.00	100.00%						
B01-6X-230-1		STREET CONTRACTUAL SERVICES	428.00	0.00	0.00	428.00	0.00	0.00	0.00%						
B01-6X-240-0		SUPPLIES & MATERIALS	3,499.98	0.00	47.58	2,705.61	124.76	669.61	19.13%						
B01-6X-272-0		ADVANCE TO BE REIMBURSED	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
		STREET FUND SUB TOTAL	34,050.00	0.00	73.89	9,673.31	124.76	24,251.93	71.22%						
B02-6B-240-0		SUPPLIES & MATERIALS	1,800.00	0.00	0.00	0.00	0.00	1,800.00	100.00%						
B02-6C-211-0		STATE HWY/WAGES	2,100.00	0.00	0.00	0.00	0.00	2,100.00	100.00%						
B02-6C-240-0		CLEANING/SNOW REMOVAL	800.00	0.00	0.00	0.00	0.00	800.00	100.00%						
B02-6E-230-0		TRAFFIC SIGNS/SIGNALS	1,100.00	0.00	0.00	0.00	0.00	1,100.00	100.00%						
B02-6E-231-0		UTILITIES	1,000.00	0.00	81.29	557.76	392.24	50.00	5.00%						
B02-6X-230-0		STATE AUDITOR FEE	150.00	0.00	0.00	0.00	0.00	150.00	100.00%						
		STATE HIGHWAY FUND SUB TOTAL	6,950.00	0.00	81.29	557.76	392.24	6,000.00	86.33%						
B04-3B-231-0		UTILITIES	3,200.00	0.00	300.07	2,052.47	872.53	275.00	8.59%						
B04-3B-240-0		SUPPLIES & MATERIALS	19,600.00	0.00	370.95	2,506.90	252.45	16,840.65	85.92%						
B04-3X-230-0		STATE AUDITOR FEE	400.00	0.00	0.00	0.00	0.00	400.00	100.00%						
B04-3X-230-1		COUNTY AUDITOR FEE	150.00	0.00	0.00	68.67	0.00	81.33	54.22%						
B04-3X-230-2		DEL. REAL EST. TAX & COLL. FEE	40.00	0.00	0.00	12.58	0.00	27.42	68.55%						
B04-3X-230-3		ENGINEERING SERVICES	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
B04-7H-230-0		DELIQ LAND TAX ADVERT	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
		PARK FUND SUB TOTAL	23,390.00	0.00	671.02	4,640.62	1,124.98	17,624.40	75.35%						
B05-7A-230-0		FEMA ADMINISTRATION COSTS	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
B05-7X-192-0		TRANSFER OUT	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
B05-7X-250-0		CDGB SEWER PLANT PROJECT	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
B05-7X-272-0		REIMBURSEMENT	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
B05-8X-255-0		FEMA REPAIRS	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
		FEMA FUND SUB TOTAL	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
B08-1A-211-0		POLICE WAGES	15,184.00	0.00	0.00	0.00	0.00	15,184.00	100.00%						
B08-1A-212-0		POLICE BENEFITS	1,216.00	0.00	0.00	0.00	0.00	1,216.00	100.00%						
B08-1A-240-0		SUPPLIES & MATERIALS	50.00	0.00	0.00	0.00	0.00	50.00	100.00%						
B08-1A-261-0		CRUISER PAYMENT	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
B08-7G-230-0		COUNTY AUDITOR FEE	130.00	0.00	0.00	55.64	0.00	74.36	57.20%						
B08-7H-230-0		DELIQ LAND TAX ADVERT	90.00	0.00	0.00	0.02	0.00	89.98	99.98%						
B08-7H-230-1		DEL. REAL EST. TAX & COLL FEES	35.00	0.00	0.00	9.37	0.00	25.63	73.23%						
B08-7H-272-0		ADVANCE TO BE REIMBURSED	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
		POLICE LEVY FUND SUB TOTAL	16,705.00	0.00	0.00	65.03	0.00	16,639.97	99.61%						
B09-7X-272-0		REIMBURSEMENT	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
		BLOCK GRANT WATERLINE REPLACE	0.00	0.00	0.00	0.00	0.00	0.00	0.00%						
B10-6X-230-0		STATE AUDITOR FEE	80.00	0.00	0.00	0.00	0.00	80.00	100.00%						
B10-6X-240-0		SUPPLIES AND MATERIALS	2,120.00	0.00	0.00	870.30	0.00	1,249.70	58.95%						
		PERMISSIVE MVL FUND SUB TOTAL	2,200.00	0.00	0.00	870.30	0.00	1,329.70	60.44%						

ENTITY NAME : VILLAGE OF SCIO

EXPENSE STATEMENT - BY ACCOUNT # REPORTING PERIOD: JUL 2021

PAGE: 3 COMPUTER DATE 7/28/2021 12:39:24 PM

REPORTING YEAR EXPENSE #	2021 EXPENSE DESCRIPTION	APPROPRIATION AMOUNT	CARRY OVER AMOUNT	M-T-D EXPENSE	Y-T-D EXPENSE	ENCUMBERED AMOUNT	UNENCUMBERED AMOUNT	PERCENTAGE
B11-7X-240-0	COVID RELIEF EXPENSE	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
	COVID RELIEF FUND SUB TOTAL	0.00	0.00	0.00	0.00	0.00	0.00	.00%
C01-7X-261-0	TRUCK PRINCIPLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
C01-7X-262-0	TRUCK INTEREST	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
	TRUCK DEBT SERVICE FUND SUB TO	0.00	0.00	0.00	0.00	0.00	0.00	.00%
D01-5D-250-0	OPWC GRANT	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
	OPWC GRANT FUND SUB TOTAL	0.00	0.00	0.00	0.00	0.00	0.00	.00%
D03-7I-271-0	TRANSFER TO TRUCK DEBT	12,511.84	0.00	0.00	0.00	0.00	12,511.84	100.00%
D03-7I-271-1	TRANSFER TO WATER LOAN 5022	6,202.00	0.00	0.00	0.00	0.00	6,202.00	100.00%
D03-7K-211-0	WAGES	10,500.00	0.00	756.70	5,976.05	0.00	4,523.95	43.09%
D03-7K-212-0	BENEFITS	3,000.00	0.00	184.02	1,073.01	0.00	1,926.99	64.23%
D03-7K-230-0	STATE AUDIT FEE	3,000.00	0.00	0.00	0.00	0.00	3,000.00	100.00%
D03-7K-230-1	SOLICITOR CONTRACT SERVICES	500.00	0.00	0.00	0.00	0.00	500.00	100.00%
D03-7K-240-0	IT SUPPLIES & MATERIALS	4,000.00	0.00	120.00	2,265.51	524.00	1,210.49	30.26%
D03-7K-241-0	CREDIT CARD FEES	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
D03-7K-250-0	CAPITAL OUTLAY	130,000.00	0.00	0.00	19,808.75	0.00	110,191.25	84.76%
D03-7K-272-0	INCOME TAX REFUNDS	700.00	0.00	0.00	0.00	0.00	700.00	100.00%
D03-7K-273-0	PRIOR YEAR REFUND	1,000.00	0.00	0.00	0.00	0.00	1,000.00	100.00%
	INCOME TAX/PERM IMPROVE FUND S	171,413.84	0.00	1,060.72	29,123.32	524.00	141,766.52	82.70%
E01-5A-211-1	SUPERINTENDENT WAGES	11,200.00	0.00	1,426.57	8,097.74	237.17	2,865.09	25.58%
E01-5A-211-2	CLERK WAGES	5,200.00	0.00	418.84	3,350.72	0.00	1,849.28	35.56%
E01-5A-211-3	METER READER WAGES	1,400.00	0.00	25.00	351.90	0.00	1,048.10	74.86%
E01-5A-211-4	TEMP LABOR WAGES	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E01-5A-211-6	CLERK HELPER WAGES	2,300.00	0.00	240.64	1,779.86	0.00	520.14	22.61%
E01-5A-211-7	LABORER WAGES	42,100.00	0.00	2,691.64	25,311.50	0.00	16,788.50	39.88%
E01-5A-212-1	SUPERINTENDENT BENEFITS	1,800.00	0.00	197.64	1,245.83	0.00	554.17	30.79%
E01-5A-212-2	CLERK BENEFITS	900.00	0.00	131.82	682.58	0.00	217.42	24.16%
E01-5A-212-3	METER READER BENEFITS	250.00	0.00	70.96	149.34	0.00	100.66	40.26%
E01-5A-212-4	TEMP LABOR BENEFITS	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E01-5A-212-6	CLERK HELPER BENEFITS	380.00	0.00	37.16	274.88	0.00	105.12	27.66%
E01-5A-212-7	LABORER BENEFITS	14,625.00	0.00	526.94	4,705.38	220.00	9,699.62	66.32%
E01-5B-240-0	BILLING SUPPLIES & MATERIALS	1,800.00	0.00	194.08	1,145.60	84.50	569.90	31.66%
E01-5B-241-0	CREDIT CARD CHARGES	2,100.00	0.00	0.00	1,113.36	750.00	236.64	11.27%
E01-5D-250-0	CDBG-CAPITAL OUTLAY	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E01-5D-250-1	HARR CTY GRANT CAP OUTLAY	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E01-5D-250-2	ARC OMEGA GRANT	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E01-5H-243-0	AUTO REPAIR & MAINT	1,100.00	0.00	0.00	139.95	60.05	900.00	81.82%
E01-5I-230-0	LANDS & BUILDINGS	7,300.00	0.00	0.00	1,198.00	0.00	6,102.00	83.59%
E01-5I-231-0	UTILITIES	31,380.00	0.00	1,601.25	18,003.87	2,444.06	10,932.07	34.84%
E01-5X-230-0	STATE AUDITOR FEE	5,880.00	0.00	0.00	0.00	0.00	5,880.00	100.00%
E01-5X-230-1	SOLICITOR CONTRACTUAL SERVICE	200.00	0.00	0.00	0.00	0.00	200.00	100.00%
E01-5X-230-2	ENGINEERING SERVICES	4,000.00	0.00	0.00	0.00	0.00	4,000.00	100.00%
E01-5X-230-4	CONTRACTUAL SERVICES	5,500.00	0.00	0.00	4,720.52	760.02	19.46	.35%
E01-5X-240-0	SUPPLIES & MATERIALS	38,240.00	0.00	963.53	13,738.50	15,433.45	9,068.05	23.71%
E01-5X-250-0	ONDA GRANT CAP OUTLAY	32,470.00	0.00	0.00	32,470.00	0.00	0.00	.00%
E01-5X-260-0	LOAN PRINCIPLE	22,401.24	0.00	0.00	10,992.91	5,650.99	5,757.34	25.70%

REPORTING YEAR EXPENSE #	2021 EXPENSE DESCRIPTION	APPROPRIATION AMOUNT	CARRY OVER AMOUNT	M-T-D EXPENSE	Y-T-D EXPENSE	ENCUMBERED AMOUNT	UNENCUMBERED AMOUNT	PERCENTAGE
E01-5X-261-0	LOAN INTEREST	1,770.00	0.00	0.00	247.44	0.00	1,522.56	86.02%
E01-5X-273-0	MISC REFUNDS	650.00	0.00	0.00	166.64	0.00	483.36	74.36%
	WATER FUND FUND SUB TOTAL	234,946.24	0.00	8,526.07	129,886.52	25,640.24	79,419.48	33.80%
E02-5A-211-1	SUPERINTENDENT WAGES	12,500.00	0.00	844.92	6,701.40	0.00	5,798.60	46.39%
E02-5A-211-2	LABORER WAGES	38,700.00	0.00	5,406.62	37,808.47	0.00	891.53	2.30%
E02-5A-211-3	TEMP READER WAGES	1,400.00	0.00	25.00	351.90	0.00	1,048.10	74.86%
E02-5A-211-4	TEMP LABOR WAGES	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E02-5A-211-5	CLERK WAGES	5,200.00	0.00	418.86	3,350.88	0.00	1,849.12	35.56%
E02-5A-211-6	CLERK HELPER WAGES	1,100.00	0.00	0.00	0.00	0.00	1,100.00	100.00%
E02-5A-212-1	SUPERINTENDENT BENEFITS	1,900.00	0.00	197.65	1,244.18	0.00	655.82	34.52%
E02-5A-212-2	LABORER BENEFITS	6,700.00	0.00	879.30	6,164.52	220.00	315.48	4.71%
E02-5A-212-3	TEMP READER BENEFITS	300.00	0.00	70.97	149.38	0.00	150.62	50.21%
E02-5A-212-4	TEMP LABOR BENEFITS	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E02-5A-212-5	CLERK BENEFITS	833.35	0.00	131.82	652.29	0.00	181.06	21.73%
E02-5A-212-6	CLERK HELPER BENEFITS	166.65	0.00	0.00	0.00	0.00	166.65	100.00%
E02-5B-240-0	BUILDING SUPPLIES & MATERIALS	1,300.00	0.00	160.50	340.57	84.50	874.93	67.30%
E02-5D-240-0	AUTO SUPPLIES & MATERIALS	1,200.00	0.00	50.56	205.56	94.44	900.00	75.00%
E02-5E-230-0	LAND & BUILDINGS	16,910.00	0.00	0.00	11,858.57	231.40	4,820.03	28.50%
E02-5E-231-0	UTILITIES	30,000.00	0.00	1,317.97	9,806.11	18,418.89	1,775.00	5.92%
E02-5E-250-0	CAP OUT-OWDA CLARIFIER	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E02-5X-230-0	STATE AUDITOR FEE	1,800.00	0.00	0.00	0.00	0.00	1,800.00	100.00%
E02-5X-230-1	SOLICITOR CONTRACTUAL SERVICE	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E02-5X-230-2	ENGINEERING SERVICES	500.00	0.00	0.00	0.00	0.00	500.00	100.00%
E02-5X-230-4	CONTACTUAL SERVICES	2,500.00	0.00	0.00	2,306.00	150.00	44.00	1.76%
E02-5X-243-0	SUPPLEES & MATERIALS	35,000.00	0.00	1,802.64	14,550.04	11,635.39	8,814.57	25.18%
E02-5X-260-0	LOAN PRINCIPLE	6,236.00	0.00	0.00	2,250.00	2,250.00	1,736.00	27.84%
E02-5X-261-0	LOAN INTEREST	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
E02-5X-273-0	MISC REFUNDS	80.00	0.00	0.00	0.00	0.00	80.00	100.00%
	SEWER FUND FUND SUB TOTAL	164,326.00	0.00	11,306.81	97,739.87	33,084.62	33,501.51	20.39%
E03-5B-250-0	CONTINGENCY CAPITAL OUTLAY	12,900.00	0.00	0.00	0.00	0.00	12,900.00	100.00%
	WATER CONTINGENCY FUND SUB TOT	12,900.00	0.00	0.00	0.00	0.00	12,900.00	100.00%
E08-5A-000-0	DEPOSITS REFUNDED	9,000.00	0.00	0.00	63.04	0.00	8,936.96	99.30%
E08-5B-000-0	DEPOSITS APPLIED	3,300.00	0.00	0.00	0.00	0.00	3,300.00	100.00%
	WATER DEPOSIT FUND FUND SUB TO	12,300.00	0.00	0.00	63.04	0.00	12,236.96	99.49%
G01-7K-273-0	RUMA BOND REFUND	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
	RUMA ESCROW FUND SUB TOTAL	0.00	0.00	0.00	0.00	0.00	0.00	0.00%
	GRAND TOTAL	1,095,401.08	0.00	39,651.01	405,339.18	85,669.62	604,392.28	55.18%

VILLAGE OF SCIO, OHIO
RESOLUTION 2021-006

ADOPTING A RESIDENTIAL ANTI-DISPLACEMENT & RELOCATION
ASSISTANCE PLAN, AS REQUIRED BY THE OHIO DEVELOPMENT SERVICES
AGENCY'S CDBG SMALL CITIES PROGRAM, AND DECLARING AN EMERGENCY

WHEREAS, the Ohio Development Services Agency, through its Office of Community Development, requires each Village participating in the CDBG Program to adopt a Residential Anti-Displacement & Relocation Assistance Plan (Plan");

WHEREAS, the Village is aware that a required Plan should be updated every five (5) years, and the Village's Plan should be revised in 2025; and

WHEREAS, the adoption of an updated Plan will allow the Village to remain eligible for grants under the State of Ohio's CDBG Small Cities Program, which are of significant benefit to the community.

NOW, THEREFORE, THE VILLAGE OF SCIO HEREBY RESOLVES, and the members of Council and the Mayor of the Council concurring, that:

Section 1. This Resolution is n emergency because the Village of Scio is planning to have the 2021 Residential Public Infrastructure Grant and Village Staff needs to immediately implement this Plan for inclusion in that application.

Section 2. The Village hereby adopts the Residential Anti-Displacement & Relocation Assistance Plan, attached hereto as Exhibit A, as required under Section 104(d) of the Housing and Community Development Act of 1974.

Section 3. It is found that all formal actions of this Council concerning and relating to the adoption of this Resolution were adopted in an open meeting of this Council, and that all deliberations of this Council that resulted in this formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

Section 4. This Resolution shall be effective immediately upon its passage.

Passed: July 28, 2021

Attest:

Michelle R. Carpenter
Mayor

Quin Thompson
Council President

Sharon D. Drie
Clerk/Treasurer

Village of Scio Residential Anti-Displacement & Relocation Assistance Plan

The Village of Scio will replace all occupied and vacant, occupiable low- to- moderate- income (LMI) dwelling units demolished or converted to a use other than low-to -moderate-income housing units as a direct result of activities assisted with funds provided under the Housing and Community Development Act of 1974, as amended, as described in 24 CFR 570.488. HUD regulations has extended this requirement to the HOME program as well.

All replacement housing will be provided within three (3) years of the commencement of the demolition or rehabilitation relating to conversion. Before obligation or expending funds that will directly result in such demolition or conversion, the Village of Scio will make public and submit to the Ohio Development Services Agency (ODSA), Office of Community Development, the following information in writing:

- A description of the proposed assisted activity;
- The location on a map and number of dwelling units by size (number of bedrooms) that will be demolished or converted to a use other than low-to-moderate-income (LMI) dwelling units as a direct result of the assisted activity;
- A time schedule for the commencement and completion of a demolition or conversion;
- The general location on a map and approximate number of dwelling units by bedroom size that will be provided as replacement units;
- The funding source and a time schedule for providing replacement dwelling units;
- An explanation of how the replacement dwelling units will remain a LMI unit for at least 10 years from date of initial occupancy;
- An analysis determining whether a dwelling unit proposed to be demolished is habitable or not; and
- An analysis determining whether a dwelling unit proposed to be demolished or converted is considered an LMI unit.

The Village of Scio will provide relocation assistance as described in 24 CFR 570.488, to each LMI household displaced by the demolition of housing demolition or by the conversion of an LMI dwelling to another use as a direct result of assisted activities.

Consistent with the goals and objectives under the Act, the Village agrees to provide substantial levels of assistance to individuals displaced by HUD-assisted programs and will further seek to minimize displacing individuals as a result of assisted activities.

Residential Anti-Displacement and Relocation Assistance Plan

General Information

An Anti-Displacement and Relocation Assistance Plan is required by all grantees prior to funding, whether or not demolition activities are planned. If you have not previously adopted a plan, utilize this format at a minimum to adopt a plan. If you have previously adopted a plan, you may submit an executed copy of that plan in lieu of completing this form (if your activities include demolition or conversion, you will need to get clearance from the Office of Community Development (OCD) prior to proceeding with any demolition or conversion. ATTACH INFORMATION REQUESTED IN THE FORM TO THE PLAN.

Ordinance or Resolution Number:

2021-006

Date:

7-21

Village of Scio

will replace all occupied and vacant occupiable low- and moderate-income (LMI) dwelling units demolished or converted to a use other than LMI housing as a direct result of activities assisted with funds provided under the Housing and Community Development Act of 1974, as amended, and as described in 24 CFR 570.488. HUD regulation have extended this requirement to the HOME program as well.

All replacement housing will be provided within three years of beginning the demolition or rehabilitation related to conversion. Before obligating or expending funds that will directly result in demolition or conversion, the community will make public and submit to OCD the following information in writing:

- A description of the proposed activity;
- The location of each site on a map and the number of dwelling units by bedroom size that will be demolished or converted to a use other than as LMI dwelling units as a direct result of the activities;
- A time schedule for the demolition or conversion commencement and completion;
- The general location on a map and approximate number of dwelling units by bedroom size that will be provided as replacement dwelling units;
- The funding source and a time schedule for providing replacement dwelling units;
- An explanation of how the replacement dwelling unit will remain a LMI unit for at least 10 years from the date of initial occupancy;
- An analysis determining whether a dwelling unit proposed to be demolished is occupiable or not; and
- An analysis determining whether a dwelling unit proposed to be demolished or converted is considered a LMI unit.

Village of Scio

will provide relocation assistance, as described in 24 CFR 570.488, to each LMI household displaced by housing demolition or conversion of a LMI dwelling to another use as a direct result of assisted activities.

Consistent with the goals and objectives under the Act, the Community agrees to provide substantial levels of assistance to individuals displaced by HUD-assisted programs and will further seek to minimize displacing individuals as a result of assisted activities.



Signature of Chief Elected Official (CEO)

CEO Name: Michelle Carpenter

CEO Title: Mayor

Environmental Review Documentation and Certification Form

FOR GENERAL ADMINISTRATION, FAIR HOUSING AND PLANNING

Instructions

The Environmental Review Documentation and Certification Form For General Administration, Fair Housing, and Planning Activities (only) is the:

Environmental Review;
Environmental Review Certification; and
Notice of Project Specific Release of Funds Respecting Environmental Grant Conditions

Applicants executing an Environmental Review Documentation and Certification Form For General Administration, Fair Housing, and Planning are certifying that the environmental review evaluation and the determination of exemption are accurate for general administration, fair housing, and planning activities funded with administrative dollars. This will satisfy the grantee's environmental review documentation process for these select activities. Applicants must submit an original, executed Environmental Review Documentation and Certification Form For General Administration, Fair Housing, and Planning with the application and keep one original, executed form on file. Once the grant agreement is fully executed, grant recipients will be able to access grant funds for these three activities. Please refer to OCD Policy 06-01 for further information and guidance.

General Administration, Fair Housing, and Planning Defined

General administration and fair housing activities are defined as "Exempt" per 24 Code of Federal Regulations (CFR) 58.34(a)(3). Environmental and other studies, resource identification and the development of plans and strategies are defined as "Exempt" per 24 CFR 58.34(a)(1).

By executing this form, the certifying officer is certifying that the project description listed below is accurate; an environmental evaluation for general administration, fair housing, and planning activities was completed; and an exemption was found for general administration, fair housing, and planning activities.

Project Description

Planning activities include environmental and other studies, resource identification and developing plans and strategies. Program administration activities for this project include all or some of the following: staff and related costs required for overall program management, coordination, monitoring, reporting and evaluation; citizen participation costs; fair housing activities; indirect costs charged using an accepted cost allocation plan; developing submissions or applications for federal programs; staff and overhead costs for project delivery; and certain costs of administering the (check all applicable):

- ☒ Community Development Block Grant (CDBG)
- ☐ HOME Investment Partnerships (HOME)
- ☐ Emergency Shelter (ESG) Programs

Environmental Review Documentation and Certification Form

FOR GENERAL ADMINISTRATION, FAIR HOUSING AND PLANNING

Instructions

The Environmental Review Documentation and Certification Form For General Administration, Fair Housing, and Planning Activities (only) is the:

- ☐ Environmental Review;
- ☐ Environmental Review Certification; and
- ☐ Notice of Project Specific Release of Funds Respecting Environmental Grant Conditions

Applicants executing an Environmental Review Documentation and Certification Form For General Administration, Fair Housing, and Planning are certifying that the environmental review evaluation and the determination of exemption are accurate for general administration, fair housing, and planning activities funded with administrative dollars. This will satisfy the grantee's environmental review documentation process for these select activities. Applicants must submit an original, executed Environmental Review Documentation and Certification Form For General Administration, Fair Housing, and Planning with the application and keep one original, executed form on file. Once the grant agreement is fully executed, grant recipients will be able to access grant funds for these three activities. Please refer to OCD Policy 06-01 for further information and guidance.

General Administration, Fair Housing, and Planning Defined

General administration and fair housing activities are defined as "Exempt" per 24 Code of Federal Regulations (CFR) 58.34(a)(3). Environmental and other studies, resource identification and the development of plans and strategies are defined as "Exempt" per 24 CFR 58.34(a)(1).

By executing this form, the certifying officer is certifying that the project description listed below is accurate; an environmental evaluation for general administration, fair housing, and planning activities was completed; and an exemption was found for general administration, fair housing, and planning activities.

Project Description

Planning activities include environmental and other studies, resource identification and developing plans and strategies. Program administration activities for this project include all or some of the following: staff and related costs required for overall program management, coordination, monitoring, reporting and evaluation; citizen participation costs; fair housing activities; indirect costs charged using an accepted cost allocation plan; developing submissions or applications for federal programs; staff and overhead costs for project delivery; and certain costs of administering the (check all applicable):

Community Development Block Grant (CDBG)

HOME Investment Partnerships (HOME)

Emergency Shelter (ESG) Programs

Environmental Review Documentation and Certification Form

Environmental Review Documentation and Certification Form

FOR GENERAL ADMINISTRATION, FAIR HOUSING AND PLANNING

Certification

An environmental evaluation has been conducted for general administration, fair housing, and planning activities. Pursuant to the review, it is the finding of the responsible entity that the activities listed in the project description above are exempt. Therefore, per 24 CFR 58.34, the responsible entity does not have to undertake any environmental review, consultation, or other action under NEPA and the other provisions of law or authorities cited in 24 CFR 58.5 and 58.6 for these projects.

I certify the accuracy of these statements:

Grant Recipient:	<u>Village of Scio</u>
Grant Number or Project Type and Name:	<u>2HB - Waterline Improvements</u>
Name and Title of Certifying Officer:	<u>Michelle Carpenter</u>
Mailing Address (Line 1):	<u>210 East Main Street</u>
Mailing Address (Line 2):	<u>P.O. Box 307</u>
City, State & Zip	<u>Scio, Ohio 43988</u>
Signature of Certifying Officer:	<u></u>
Date of Signature:	<u>7-14-21</u>
Program Administrator Name:	<u>Erin Wright</u>
E-Mail Address of Program Administrator:	<u>erwright@thethrashergruop.com</u>
Administrator's Phone Number:	<u>330-451-2042</u>

VILLAGE OF SCIO - EXHIBIT "A"
WATER AND SEWER RATES
EFFECTIVE JANUARY 1, 2021 - ORDINANCE 019-003

SVC CODE	LOCATION	UTILITY	CLASSIFICATION	DISTRIBUTION BASE RATE	1000 GALS. RATE	2000 GALS. RATE	3000 GALS. RATE	OVER 3000 GALS. RATE PER 1000 GALS. OVERAGE	TABLE
00	INSIDE	WATER	RESIDENTIAL	\$ 32.31	\$ 1.00	\$ 2.00	\$ 3.00	\$ 5.39	00
02	INSIDE	WATER	NON-RESIDENTIAL	\$ 40.92	\$ 1.00	\$ 2.00	\$ 3.00	\$ 5.39	01
03	INSIDE	WATER	MULTI-USE	\$ 40.92	\$ 1.00	\$ 2.00	\$ 3.00	\$ 5.39	01
01	OUTSIDE	WATER	RESIDENTIAL	\$ 43.08	\$ 1.00	\$ 2.00	\$ 3.00	\$ 7.54	02
04	OUTSIDE	WATER	NON-RESIDENTIAL	\$ 57.89	\$ 1.00	\$ 2.00	\$ 3.00	\$ 12.16	03
05	OUTSIDE	WATER	MULTI-USE	\$ 43.08	\$ 1.00	\$ 2.00	\$ 3.00	\$ 7.54	02

SVC CODE	LOCATION	UTILITY	CLASSIFICATION	COLLECTION BASE RATE	1000 GALS. RATE	2000 GALS. RATE	3000 GALS. RATE	OVER 3000 GALS. RATE PER 1000 GALS. OVERAGE	TABLE
00	INSIDE	SEWER	RESIDENTIAL	\$ 32.31	\$ 1.00	\$ 2.00	\$ 3.00	\$ 5.39	00
02	INSIDE	SEWER	NON-RESIDENTIAL	\$ 40.92	\$ 1.00	\$ 2.00	\$ 3.00	\$ 5.39	01
03	INSIDE	SEWER	MULTI-USE	\$ 40.92	\$ 1.00	\$ 2.00	\$ 3.00	\$ 5.39	01
01	OUTSIDE	SEWER	RESIDENTIAL	\$ 43.08	\$ 1.00	\$ 2.00	\$ 3.00	\$ 7.54	02
04	OUTSIDE	SEWER	NON-RESIDENTIAL	\$ 57.89	\$ 1.00	\$ 2.00	\$ 3.00	\$ 12.16	03
05	OUTSIDE	SEWER	MULTI-USE	\$ 43.08	\$ 1.00	\$ 2.00	\$ 3.00	\$ 7.54	02
06			ADM. FEE	\$ 1.00					00

HILLTOP APARTMENTS 44 UNITS @ \$40.92 \$ 1,800.48 WATER FLAT RATE TABLE 01
HILLTOP APARTMENTS 44 UNITS @ \$40.92 \$ 1,800.48 SEWER

UNMETERED WATER \$86.15 OUTSIDE FLAT TABLE 02 ALBRIGHT, ZANTENE & RICH
UNMETERED WATER \$64.62 INSIDE FLAT TABLE 00 MCFARLAND & LAUGHLIN



Mike DeWine, Governor
Jon Husted, Lt. Governor
Laurie A. Stevenson, Director

July 14, 2021

Transmitted Electronically

Mayor and Council
Village of Scio
210 E. Main Street
P.O. Box 307
Scio, OH 43988

**Re: Scio WWTP
Inspection
Inspection
NPDES
Harrison County
0PB00058**

Subject: Comprehensive Desktop Compliance Review

Dear Mayor and Council:

Ohio EPA completed a Comprehensive Desktop Compliance Review from June 15, 2021 to July 12, 2021, of the wastewater treatment plant serving the Village of Scio located in Scio, Ohio. This review consisted of a telephone interview and picture review. Along with myself from the Ohio EPA, Division of Surface Water's (DSW) Southeast District Office, Brian Jurosko, Professional Operator of Record (ORC), and Jason Tubaugh, Village Administrator, was also present during a telephone conference as part of the desktop review.

The purpose of the inspection was to evaluate compliance with the terms and conditions of your National Pollutant Discharge Elimination System (NPDES) permit and to evaluate the operation and maintenance of the plant.

Findings:

1. There were two permit effluent limit violations that occurred between August 1, 2018 and July 1, 2021. Permit effluent limit violations have not occurred since July 2020.
2. The renewal application was received on February 5, 2019, at least 180 days prior to permit expiration.
3. On April 19, 2021, Ohio EPA received a complaint of an overflowing manhole on State Route 646. A 5-day follow up for the occurrence of the Sanitary Sewer Overflow (SSO) was not received by Ohio EPA. A Notice of Violation (NOV) letter was issued on April 23, 2021 as a result.

4. All sections of the collection system are separated except for the recently discovered area of College Avenue and Fowler Avenue. This was discovered during recent investigations into an SSO that occurred in the area.
5. Current Operator of Record notification form does not designate an operator over the collections system at the time of the inspection. An updated ORC notification form was submitted via email on July 2, 2021.

Recommendations:

The recommendations set out below are not Orders. The recommendations are offered by Ohio EPA in an effort to provide compliance assistance to your facility.

1. Continue to provide updates on the State Route 646 manhole issue as necessary.
2. Continue operations such that the plant will remain in compliance with the current permit.

If you have any questions or comments concerning the enclosed inspection report, please contact me at (740) 380-5218 or e-mail at Ariel.Ruth@epa.ohio.gov.

Sincerely,

Ariel Ruth

Ariel Ruth
Environmental Specialist 2
Compliance and Enforcement
Ohio EPA Division of Surface Water
Southeast District Office

AR/cs

NPDES Compliance Inspection Report

SECTION A: NATIONAL DATA SYSTEM CODING						
Permit #	NPDES #	Inspection Type	Sig. Non-Compliance	Inspection Date	Entry Time	Exit Time
OH0029271	0PB00058	CEI	No	6/15/2021	N/A	N/A

SECTION B: FACILITY DATA	
Name and Location of Facility Inspected	Permit Effective Date
Scio WWTP Intersection of Allensworth Dr. and State Route 151 Scio, Oh. 43988	9/1/2019
	Permit Expiration Date
	8/31/2024
Name(s) and Title(s) of On-Site Representatives	Phone Numbers
Jason Tubaugh, Village Administrator Brian Jurosko, Professional Operator of Record	740-945-5571
Name and Title of Responsible Official	Phone Number
Brian Jurosko, Operator	304-670-1801

SECTION C: AREAS EVALUATED DURING INSPECTION		
Evaluated? Y-Yes; N-No	Area Evaluated	Recommendations noted in report? Y – Yes; N – No; N/A – Not Applicable
Y	E. NPDES Compliance	N
Y	F. Operations & Maintenance	N
Y	G. Operator Certification	N
Y	H. Collection System	N
Y	I. Sludge Management	N
N	J. Storm Water	N/A
Y	K. Self-Monitoring Program	N
Y	L. Laboratory	N
Y	M. Effluent / Receiving Water Observations	N

Signatures			
<i>Ariel Ruth</i>	<i>7/14/21</i>	Jennifer Witte	7/14/21
Ariel Ruth Compliance and Enforcement Division of Surface Water Southeast District Office	Date	Jennifer Witte Compliance & Enforcement Supervisor Division of Surface Water Southeast District Office	Date

Compliance Data for Scio WWTP between 8/1/2018 and 7/1/2021

Summary

Permit Effluent Limit Violations: 2
Permit Effluent Code Events: 0
Permit Effluent Frequency Violations: 0
Compliance Schedule Milestones Not Entered: 0
Reported SSO Events: 2

Limit Violations						
Reporting Period	Station	Parameter	Limit Type	Limit	Reported Value	Violation Date
June 2020	001	pH	1D Conc	9.0	9.17	6/3/2020
July 2020	001	Dissolved Oxygen	1D Conc	5.0	4.4	7/16/2020

Scio WWTP SSO Events			
Parameter	Units	Date	Reported Value
Overflow Occurrence	No./Month	5/5/2021	1
Overflow Occurrence	No./Month	5/6/2021	1

High Flow Data for Scio WWTP between 8/1/2018 and 7/1/2021

Top 10 Flows	
Date	Flows (MGD)
11/2/2019	0.838
3/19/2021	0.252
1/24/2019	0.244
1/25/2020	0.228
3/21/2020	0.221
1/25/2019	0.219
4/27/2020	0.215
3/1/2021	0.201
6/21/2019	0.198
1/4/2020	0.196
Average	0.052

SECTION G: OPERATOR CERTIFICATION

a. Wastewater Treatment Works Classification	I		
	Yes	No	N/A
b. Operator of Record holds unexpired license of class required by Permit?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c. Current Operator of Record form submitted?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
d. Copy certificate(s) and renewal card(s) of all professional operators displayed on-site?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
e. Minimum operator staffing requirements fulfilled (OAC 3745-7)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
f. If required (Class A or 1), are daily visits conducted by an owner's representative?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
g. If a Staffing Reduction plan has been approved, are the stipulations of the plan being met?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
h. Has the Operator of Record submitted written notifications to the permittee, Ohio EPA and, if applicable, any local environmental agencies when a collection system overflow, treatment plant bypass or effluent limit violation has occurred?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
i. Professional Operator of Record logbook provided?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
j. Logbook location	Office		
k. Logbook Format	Hardbound		
l. Has the professional Operator of Record(s) completed their electronic time submission (DMR or other option)?	Yes		
m. Do the electronic time submissions match the logbook?	Yes		
Logbook contains the following:			
n. Identification of treatment works	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
o. Date/times of arrival/departure for Operator of Record and any other operator required by OAC 3745-7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
p. Daily record of operator and maintenance activities (including preventative maintenance, repairs and request for repairs, process control test results, etc.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
q. Laboratory results (unless documented on bench sheets)	Bench Sheets		
r. Identification of person making entries	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Comment:

- On April 19, 2021. Ohio EPA received a complaint of an overflowing manhole on State Route 646. A 5-day follow up for the occurrence of the SSO was not received by OEPA. A NOV was issued on April 23, 2021 as a result.

Capacity / SSOs / I&I / WIB		Yes	No
a. Are portable pumps used to relieve the system?		<input type="checkbox"/>	<input checked="" type="checkbox"/>
b. Any complaints received since last inspection of basement flooding?		<input type="checkbox"/>	<input checked="" type="checkbox"/>
c. Have there been any SSOs since the last inspection?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
d. What progress has been made in SSO elimination if applicable?	The village is currently working with Ohio EPA and ODOT on plans for a permanent solution to abate the SSO		
e. Are any portions of the sewer system at or near dry weather capacity? If yes, describe plans.	No		
f. Is there an inflow and infiltration reduction plan being followed? If yes, describe plans.	Have performed smoke testing in the past and corrected corresponding issues		

Combined Sewer System		Yes	No
a. Does the collection system include combined sewers?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Skip following questions if there are no combined sewers			
b. Are all CSOs included in your NPDES permit? If not, explain.	No; this is a recently discovered area of combined sewers.		
c. What is the status of the LTCP implementation?	N/A		
d. If there is no LTCP, what is the status of preparation of the LTCP?	N/A – the village is currently working with Ohio EPA and ODOT on a permanent solution for abating the SSO and separating the sewer.		

Comments:

- All sections of the collection system are separated except for the recently discovered area of College Ave. and Fowler Ave. This was discovered during recent investigations into an SSO that occurred in the area.
- Current Operator of Record notification form did not have someone designated over the collections system. The ORC notification form was submitted via email on July 2, 2021.

Sampling, Monitoring, and Records	Yes	No	N/A
a. Secondary instruments operated and maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b. Sampling location(s) are as specified by permit	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c. Sampling frequency agree with permit (look at compliance table for frequency violations or missing DMRs)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
d. Are proper sampling methods used (i.e. Oil & Grease collected in a glass container)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
e. Are the proper sampling types used (i.e., Grab, Composite, Flow proportionate, etc.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
f. Are the field parameters (pH, DO, total residual chlorine, temperature) measured within 15 minutes of collection?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
g. Monitoring records (i.e., flow, pH, DO) maintained for a minimum of three years including all original strip chart recordings (i.e. continuous monitoring instrumentation, calibration and maintenance records)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

SECTION L: LABORATORY

In-House Sampling:

Parameter	Analytical testing methods used
pH	Oakton 510
DO	EPA 360.1

	Yes	No	N/A
a. Quality assurance manual provided and maintained?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b. Does quality assurance manual contain SOPs for all sampling and analyses conducted on site?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c. If alternate procedures are used, are they U.S. EPA approved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d. Are permit required parameters analyzed more frequently than required by the permit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
i. If yes, are results recorded in permittee's e-DMR report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Commercial Laboratory Sampling:

Laboratory Name: Ream & Haager

Parameter	Analytical testing methods used
CBOD	SM22nd_5210B
TSS	SM22nd_2540D
E. Coli	mColiBlue-24
Ammonia	EPA_350.1
Hexavalent Chromium	SM22nd_3500Cr-B
Nitrate/Nitrite	EPA_300.0
TDS	SM20th_2540C
Total Filterable Residue	SM20th_2540C
Total Phosphorous	EPA_365.1
TKN	EPA_351.2
Hardness	SM22nd_2340B
Cyanide	O1A-1677-09
Oil & Grease	EPA_1664A
Cadmium	EPA_200.7
Chromium	EPA_200.7
Copper	EPA_200.7
Lead	EPA_200.7
Nickel	EPA_200.7
Zinc	EPA_200.7
Low Level Mercury	EPA_1631E

SECTION M: EFFLUENT/RECEIVING WATER OBSERVATIONS

Outfall Number	Outfall sign in place	Oil Sheen	Grease	Turbidity	Foam	Solids	Color	Other
001	Yes	None	None	None	None	None	Visually Clear	—

Comment:

- Outfall was observed via picture submittal.



1885 State Route 39
Sugarcreek, OH 44681

Sales Order

Date	S.O. No.
7/27/2021	2541

Phone #	E-mail
330-473-5702	scenichillsfurniture@outlook.com
Name / Address	
Village of Scio 210 East Main Street PO Box 307 Scio, OH 43988	

Customer Phone	Customer E-mail
740 409 2477	jasontuhaugh@scioadmin.org

Sales Rep:	Myron
------------	-------

Estimated Completion Time: Middle of February 2022

Item	Description	Ordered	Rate	Amount
Outdoor Furniture	#931 4' Garden Bench with Arms NOTE: Top Board being Engraved: SCIO COMMUNITY PARK (All Caps) Color= Tudor Brown	3	600.00	1,800.00

SCENIC HILLS FURNITURE
1885 STATE RTE 39
SUGARCREEK, OH 44681
330-473-5702

07/27/2021 9:52

Sale

Trans #: 2 Batch #: 4

VISA Manual
*****2104 **/**

AMOUNT: \$1800.00

Resp: AUTH/TKT 907221
Code: 907221
Ref #: 581208511459722
CVV Rsp: M-CVD Matches

THANK YOU!

CUSTOMER COPY

Subtotal \$1,800.00

Sales Tax (7.0%) \$0.00

Total \$1,800.00

<input checked="" type="checkbox"/>	Pickup
<input type="checkbox"/>	Delivery

Check #	Deposit
Check # Visa	Balance Due \$1,800.00

App: *[Signature]*
7/27/2021

Paid in Full 7-27-2021



1885 State Route 39
Sugarcreek, OH 44681

Sales Order

Date	S.O. No.
7/27/2021	2541

Phone #	E-mail
330-473-5702	scenicHillsfurniture@outlook.com

Name / Address

Village of Scio
210 East Main Street
PO Box 307
Scio, OH 43988

Customer Phone	Customer E-mail
740 409 2477	jasontubaugh@scioadmin.org

Sales Rep:

Myron

Estimated Completion Time: Middle of February 2022

Item	Description	Ordered	Rate	Amount
Outdoor Furniture	#931 4' Garden Bench with Arms NOTE: Top Board being Engraved: SCIO COMMUNITY PARK (All Caps) Color= Tudor Brown	3	600.00	1,800.00

Subtotal	\$1,800.00
Sales Tax (7.0%)	\$0.00
Total	\$1,800.00

<input checked="" type="checkbox"/> Pickup
<input type="checkbox"/> Delivery

Check #	Deposit
Check #	Balance Due \$1,800.00

Paid w/ Village Credit CARD
7/27/2021 *Jason Tubaugh*

Authorized by Village Council 7/14/21
Signed: *Jason Tubaugh* Scio/VA

Capital Improvement Plan: updated /revised: 3/1/2021.

Water Line replacement and paving projects:

Phase I- Second street in between Carrollton St and Eastport street in 2017 (Completed)

The Village will purchase the material and bid the labor work to a local contractor.

Phase II - Second street from Eastport to Custer way alley to encompass all cross street such as schoolhouse junction and masonic way, projected date 2019 for initial planning and cost assessment, engineering and grant possibilities for upgraded line from a four inch to a six-inch line. Project start will be 2020 depending on grant and allocated funds available. (Completed)

Phase III- Proposed engineering and grant feasibility for Eastport street

This would encompass the intersection of SR 151 (Main Street) and Eastport to the intersection of Carrollton street 2020/ 2021 would be the projected period. Extended timeline, this Phase has been reassigned to Phase VI, due to EPA's guidance for Lead service lines.

Phase IV- Maple and Walnut street 2021/2022 (Moved to Phase III)

Engineering and grant proposal for upgrading from a 4-inch main line to a six-inch main line for proper fire coverage and removal of any lead joints, fixtures, and service lines.

Phase V- Eastport street

Eastport from the intersection of West College St to the intersection of Crimm road 2023-2024

Engineering services and grant possibilities, move the existing four-inch water line to the sidewalk area and replace it with a new six-inch line, replace any fire hydrants that are needed.

Phase VI- Brown street / Elm street / Grandview Street from west College St to the Village limit at Cemetery road replace existing line with new C900 plastic, repave as needed.

Proposed for 2024/2025. Reassigned to Phase III due to funding agencies and EPA grant monies for replacing lead service lines.

Update: Phase III will encompass Brown, Maple, Walnut, and Grandview Streets. Change due to Funding and EPA Guidelines on lead service lines.

Lift Station Upgrades:

East Port Lift station

New T6 pump 2017

Proposed second new T6 pump installation in 2019 with new control panel and instruments, well casing inspection (Completed)

College Lift Station

New T6 pump purchase and install in 2018.

Proposed second new T6 pump installation in 2020 with new control panel and well casing inspection. (Completed)

Church St lift station

Currently up to specs / Recommend in 2025 a possible overhaul if needed of existing equipment. Scheduled for 2025.

Water Treatment plant

-Filter media - Recommend testing on filter media in 2025 to assess its expected shelf life

- Well #1 and #2 - Well cleaning and assessment of pumps and associated equipment to be conducted per manufacturer's guidelines in 2026 (every 7-10 years)
- Aerator, Tanks, and surface pumps - Condition assessment, maintenance, and service life inspection in summer of 2023 (every 5 years)
- Water Storage Tank - Inspection and cleaning required in 2022 (every 5 years per EPA guidelines)
- EZ chemical pumps- Inspected, repaired or replaced every 12 months (estimated cost \$680 per pump)
The WTP will have 4 pumps in service and 4 spares on hand
- Schedule 80 pipe-Plumbing is rated for 40-year life span at 120 PSI, inspect annually
- Additional equipment and inspections will be required with the upgrade project in 2018 (WTP upgrade completed November 2018)

Wastewater Treatment plant:

- New T4 pumps installed in 2016 - inspect and possible rebuild in 2024, replace in 2036 (20-year usable life span)
- Clarifiers - In need of new weirs, flights, new chains and possible sprockets (replace every 10-15 years) (Funding for the Clarifier rebuild has been secured March 2021, rehabilitation 2021-2022)
- Digesters- Inspect annually, repair or replace as needed (associated equipment and bubbler)
- Inner and outer oxidation ditches- Repairs done in 2015-2016 / Inspect concrete walls annually, repair as needed. Drain each oxidation ditch every two years for inspection, cleaning, and repair as needed. Alternate between each ditch to ensure both are cleaned and inspected every two years.
- Screw Screen - inspect semiannually. Replace brushes annually or as needed.
- Generators - Inspect annually and service
- 3way Valves - inspect annually
- Inner and outer paddle wheels - estimated life span of 5 yrs before rebuilding is required / recommend one spare on hand for emergency repair if needed

Vehicles:

- WWTP Service Truck - 2005 Chevy 2500 4x2 (bought in 2012)
(Replaced in 2020, recommend next purchase in 2025 on a five-year rotation period)
- Street Department Truck - 2006 Dodge Ram 2500 4x4 (bought in 2014)
(In service, used for part time and summer youth)
- Backhoe
- Plow Truck - 2009 F-450 requires a new bed (bought in 2008)
(*Replaced with a 2019 F450 diesel)
- Tractor - New 2016 Massey Ferguson 4x4 with brush hog
- A vehicle replacement program is recommended for every 5 years.
- Covid package 2020 F150 4x4

Lawn equipment:

- 2019 Cub cadet zero turn
- 2017 Toro riding lawn mower for the park
- JD diesel mower with new (2018) mower deck
- Zero turn Toro mower - 2014 model
- Small JD lawn mower- 2009 model (Needs replaced)
- Various weed eaters: replaced as needed.

Updated 3/ 14/19 and 3/23/21.

LMI updated survey completed in 2019.

*Phase III and IV have been updated due to EPA guidelines and funding for replacement of Lead service lines. Brown, Maple, Walnut, and Grandview St have been combined to be Phase III. Phase IV and beyond will be reviewed by the Street / water committee for final determination.

Added Requirements to the Capital Improvement plan

- Water lines not captured in original planning: iron Ductile replacement with C909 plastic
Fowler Ave, Church St, Hilltop Dr to include cross connection to Carrollton Street. Third St cross connection emplacement, Elm Street with cross connection to Grandview St.

- Sanitary service to Hilltop Drive; Proposed 2025/ 2026 to receive feasibility of the project and cost estimates. Require tap fees and resident participation. Encapsulate several homes on East Main St and Utility St during the project scope of work.